



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Shaker Mousa

Group Art Unit: 1646

Filed: 2/11/2004

Examiner:

Serial No.: 10/776,383

Title: **Method for Treating Occlusive Vascular Diseases and Wound Healing**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Response To Notice of Incomplete NonProvisional Application


Sir:

Applicant is submitting a substitute patent application herewith in response to the Notice of Incomplete Non-provisional Application. The substitute patent application differs from the originally filed patent application as follows:

- 1) Figures 1-4 are not embedded but are now on separate sheets.

Attached is a check for \$ 90.

Date: 11/27/04



Shaker Mousa
Applicant



JPW

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NUMBER	FILING OR 371 (c) DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/776,383	02/11/2004	Shaker Mousa	

Vascular Vision Pharmaceuticals
5 Fox Glove Ct.
Wynantskill, NY 12198

CONFIRMATION NO. 3915

FORMALITIES LETTER



OC000000014301417

Date Mailed: 11/05/2004

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52, 1.121(b)(3), and 1.125, is required. The specification, claims, or abstract page(s) submitted is not acceptable and cannot be scanned or properly stored because:
 - The specification contains drawings or flow diagrams (37 CFR 1.58(a)) on page(s) 10, 12, 13. Drawings or flow diagrams cannot be embedded in the specification and should be submitted separately in accordance with 37 CFR 1.84. (Both a substitute specification and substitute drawings are required).

The applicant needs to satisfy supplemental fees problems indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Additional claim fees of \$90 as a small entity, including any required multiple dependent claim fee, are required. Applicant must submit the additional claim fees or cancel the additional claims for which fees are due.

SUMMARY OF FEES DUE:

Total additional fee(s) required for this application is \$90 for a Small Entity

- Total additional claim fee(s) for this application is \$90
 - \$90 for 10 total claims over 20.

12/08/2004 SDENBOB1 00000029 10776383


01 FC:2202

90.00 OP

Replies should be mailed to: Mail Stop Missing Parts

Commissioner for Patents
P.O. Box 1450
Alexandria VA 22313-1450

*A copy of this notice **MUST** be returned with the reply.*

A handwritten signature in black ink, appearing to read "in / wenz", is written over a horizontal line.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART I - ATTORNEY/APPLICANT COPY